

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



FUNDAMENTAL PHYSICAL CONSTANTS

The 1986 CODATA Recommended Values

By E. Richard Cohen and Barry N. Taylor as published in the *Journal of Research of the National Bureau of Standards*, 92, 85, 1987. Discussions of the background, data selection and evaluation procedures are presented in CODATA Bulletin Number 63, November 1986, "The 1986 Adjustment of the Fundamental Physical Constants", a Report of the CODATA Task Group on Fundamental Physical Constants (36 pages) published by Pergamon Press.

The 1986 recommended values of the fundamental physical constants are given in five tables. Table 1 is an abbreviated list containing the quantities which should be of greatest interest to most users. Table 2 is a more complete compilation. Table 3 is a list of related "maintained units and standard values." Table 4 contains a number of scientifically, technologically, and metrologically useful energy conversion factors. Table 5 is an extended covariance matrix containing the variances, covariances, and correlation coefficients of the unknowns and a number of different constants (included for convenience) from which the like quantities of other constants may be calculated. (B. N. Taylor, W. H. Parker, and D. N. Langenberg, *Rev. Mod. Phys.*, 41, 375, 1969. Such a matrix is necessary because the variables in a least-square adjustment are correlated.

Table 1
SUMMARY OF THE 1986 RECOMMENDED VALUES
OF THE FUNDAMENTAL PHYSICAL CONSTANTS

Quantity	Symbol	Value	Units	Relative Uncertainty (ppm)
speed of light in vacuum	c	299 792 458	m s^{-1}	(exact)
permeability of vacuum	μ_0	$4\pi \times 10^{-7}$ $= 12.566 370 614 \dots$	N A^{-2} 10^{-7} N A^{-2}	(exact)
permittivity of vacuum	ϵ_0	$1/\mu_0 c^2$ $= 8.854 187 817 \dots$	F m^{-1} $10^{-12} \text{ F m}^{-1}$	(exact)
Newtonian constant of gravitation	G	6.672 59(85)	$10^{-11} \text{ m}^3 \text{ kg}^{-1} \text{ s}^{-2}$	128
Planck constant	h	6.626 0755(40)	10^{-34} J s	0.60
$h/2\pi$	\hbar	1.054 572 66(63)	10^{-34} J s	0.60
elementary charge	e	1.602 177 33(49)	10^{-19} C	0.30
magnetic flux quantum, $h/2e$	Φ_0	2.067 834 61(61)	10^{-15} Wb	0.30
electron mass	m_e	9.109 3897(54)	10^{-31} kg	0.59
proton mass	m_p	1.672 6231(10)	10^{-27} kg	0.59
proton-electron mass ratio	m_p/m_e	1836.152 701(37)		0.020
fine-structure constant, $\mu_0 c e^2/2h$	α	7.297 353 08(33)	10^{-3}	0.045
inverse fine-structure constant	α^{-1}	137.035 9895(61)		0.045
Rydberg constant, $m_e c \alpha^2/2h$	R_∞	10 973 731.534(13)	m^{-1}	0.0012
Avogadro constant	N_A, L	6.022 1367(36)	10^{23} mol^{-1}	0.59
Faraday constant, $N_A e$	F	96 485.309(29)	C mol^{-1}	0.30
molar gas constant	R	8.314 510(70)	$\text{J mol}^{-1} \text{ K}^{-1}$	8.4
Boltzmann constant, R/N_A	k	1.380 658(12)	$10^{-23} \text{ J K}^{-1}$	8.5
Stefan-Boltzmann constant, $(\pi^2/60)k^4/h^3c^2$	σ	5.670 51(19)	$10^{-8} \text{ W m}^{-2} \text{ K}^{-4}$	34
Non-SI units used with SI				
electron volt, $(e/C) \text{ J} = \{e\} \text{ J}$	eV	1.602 177 33(49)	10^{-19} J	0.30
(unified) atomic mass unit, $1 \text{ u} = m_0 = \frac{1}{12} m(^{12}\text{C})$	u	1.660 5402(10)	10^{-27} kg	0.59

NOTE: An abbreviated list of the fundamental constants of physics and chemistry based on a least-squares adjustment with 17 degrees of freedom. The digits in parentheses are the one-standard-deviation uncertainty in the last digits of the given value. Since the uncertainties of many entries are correlated, the full covariance matrix must be used in evaluating the uncertainties of quantities computed from them.

Table 2
THE 1986 RECOMMENDED VALUES OF THE
FUNDAMENTAL PHYSICAL CONSTANTS

Quantity	Symbol	Value	Units	Relative Uncertainty (ppm)
GENERAL CONSTANTS				
Universal Constants				
speed of light in vacuum	c	299 792 458	m s^{-1}	(exact)
permeability of vacuum	μ_0	$4\pi \times 10^{-7}$ $= 12.566 370 614 \dots$	N A^{-2} 10^{-7} N A^{-2}	(exact)
permittivity of vacuum	ϵ_0	$1/\mu_0 c^2$ $= 8.854 187 817 \dots$	F m^{-1} $10^{-12} \text{ F m}^{-1}$	(exact)
Newtonian constant of gravitation	G	6.672 59(85)	$10^{-11} \text{ m}^3 \text{ kg}^{-1} \text{ s}^{-2}$	128
Planck constant	h	6.626 0755(40)	10^{-34} J s	0.60
in electron volts, $h/\{e\}$		4.135 6692(12)	10^{-15} eV s	0.30
$h/2\pi$	\hbar	1.054 572 66(63)	10^{-34} J s	0.60
in electron volts, $\hbar/\{e\}$		6.582 1220(20)	10^{-16} eV s	0.30

Table 2
THE 1986 RECOMMENDED VALUES OF THE
FUNDAMENTAL PHYSICAL CONSTANTS (continued)

Quantity	Symbol	Value	Units	Relative Uncertainty (ppm)
Planck mass, $(\hbar c/G)^{1/2}$	m_P	2.176 71(14)	10^{-8} kg	64
Planck length, $\hbar/m_P c = (\hbar G/c^3)^{1/2}$	l_P	1.616 05(10)	10^{-35} m	64
Planck time, $l_P/c = (\hbar G/c^5)^{1/2}$	t_P	5.390 56(34)	10^{-44} s	64
Electromagnetic Constants				
elementary charge	e	1.602 177 33(49)	10^{-19} C	0.30
	e/h	2.417 968 36(72)	10^{14} A J ⁻¹	0.30
magnetic flux quantum, $h/2e$	Φ_0	2.067 834 61(61)	10^{-15} Wb	0.30
Josephson frequency-voltage ratio	$2e/h$	4.835 976 7(14)	10^{14} Hz V ⁻¹	0.30
quantized Hall conductance	e^2/h	3.874 046 14(17)	10^{-5} S	0.045
quantized Hall resistance, $h/e^2 = \mu_0 c/2\alpha$	R_H	25 812.805 6(12)	Ω	0.045
Bohr magneton, $eh/2m_e$	μ_B	9.274 015 4(31)	10^{-24} J T ⁻¹	0.34
in electron volts, $\mu_B/\{e\}$		5.788 382 63(52)	10^{-5} eV T ⁻¹	0.089
in hertz, μ_B/h		1.399 624 18(42)	10^{10} Hz T ⁻¹	0.30
in wavenumbers, μ_B/hc		46.686 437(14)	m ⁻¹ T ⁻¹	0.30
in kelvins, μ_B/k		0.671 709 9(57)	K T ⁻¹	8.5
nuclear magneton, $eh/2m_p$	μ_N	5.050 786 6(17)	10^{-27} J T ⁻¹	0.34
in electron volts, $\mu_N/\{e\}$		3.152 451 56(28)	10^{-8} eV T ⁻¹	0.089
in hertz, μ_N/h		7.622 591 4(23)	MHz T ⁻¹	0.30
in wavenumbers, μ_N/hc		2.542 622 81(77)	10^{-2} m ⁻¹ T ⁻¹	0.30
in kelvins, μ_N/k		3.658 246(31)	10^{-4} K T ⁻¹	8.5
ATOMIC CONSTANTS				
fine-structure constant, $\mu_0 e^2 c/2\hbar$	α	7.297 353 08(33)	10^{-3}	0.045
inverse fine-structure constant	α^{-1}	137.035 989 5(61)		0.045
Rydberg constant, $m_e c \alpha^2/2\hbar$	R_∞	10 973 731.534(13)	m ⁻¹	0.0012
in hertz, $R_\infty c$		3.289 841 949 9(39)	10^{15} Hz	0.0012
in joules, $R_\infty \hbar c$		2.179 874 1(13)	10^{-18} J	0.60
in eV, $R_\infty \hbar c/\{e\}$		13.605 693 1(40)	eV	0.30
Bohr radius, $\alpha/4\pi R_\infty$	a_0	0.529 177 249(24)	10^{-10} m	0.045
Hartree energy, $e^2/4\pi\epsilon_0 a_0 = 2R_\infty \hbar c$	E_h	4.359 748 2(26)	10^{-18} J	0.60
in eV, $E_h/\{e\}$		27.211 396 1(81)	eV	0.30
quantum of circulation	$h/2m_e$	3.635 948 07(33)	10^{-4} m ² s ⁻¹	0.089
	h/m_e	7.273 896 14(65)	10^{-4} m ² s ⁻¹	0.089
Electron				
electron mass	m_e	9.109 389 7(54)	10^{-31} kg	0.59
in electron volts, $m_e c^2/\{e\}$		5.485 799 03(13)	10^{-4} u	0.023
electron-muon mass ratio	m_e/m_μ	0.510 999 06(15)	MeV	0.30
electron-proton mass ratio	m_e/m_p	4.835 332 18(71)	10^{-3}	0.15
electron-deuteron mass ratio	m_e/m_d	5.446 170 13(11)	10^{-4}	0.020
electron- α -particle mass ratio	m_e/m_α	2.724 437 07(6)	10^{-4}	0.020
electron specific charge	$-e/m_e$	1.758 819 62(53)	10^{11} C kg ⁻¹	0.30
electron molar mass	$M(e), M_e$	5.485 799 03(13)	10^{-7} kg/mol	0.023
Compton wavelength, $h/m_e c$	λ_C	2.426 210 58(22)	10^{-12} m	0.089
$\lambda_C/2\pi = \alpha a_0 = \alpha^2/4\pi R_\infty$	λ_C	3.86 159 325(35)	10^{-13} m	0.089
classical electron radius, $\alpha^2 a_0$	r_e	2.817 940 92(38)	10^{-15} m	0.13
Thomson cross section, $(8\pi/3)r_e^2$	σ_e	0.665 246 16(18)	10^{-28} m ²	0.27
electron magnetic moment	μ_e	928.477 01(31)	10^{-26} J T ⁻¹	0.34
in Bohr magnetons	μ_e/μ_B	1.001 159 652 193(10)		1×10^{-5}
in nuclear magnetons	μ_e/μ_N	1836.262 000(37)		0.020
electron magnetic moment anomaly, $\mu_e/\mu_B - 1$	a_e	1.159 652 193(10)	10^{-3}	0.0086
electron g-factor, $2(1 + a_e)$	g_e	2.002 319 304 386(20)		1×10^{-5}
electron-muon magnetic moment ratio	μ_e/μ_μ	206.766 967(30)		0.15
electron-proton magnetic moment ratio	μ_e/μ_p	658.210 683 1(66)		0.010
Muon				
muon mass	m_μ	1.883 532 7(11)	10^{-28} kg	0.61
in electron volts, $m_\mu c^2/\{e\}$		0.113 428 913(17)	u	0.15
muon-electron mass ratio	m_μ/m_e	105.658 359(34)	MeV	0.32
muon molar mass	$M(\mu), M_\mu$	206.768 262(30)		0.15
muon magnetic moment	μ_μ	1.134 289 13(17)	10^{-4} kg/mol	0.15
in Bohr magnetons	μ_μ/μ_B	4.490 451 4(15)	10^{-26} J T ⁻¹	0.33
in nuclear magnetons	μ_μ/μ_N	4.841 970 97(71)	10^{-3}	0.15
		8.890 598 1(13)		0.15

Table 2
THE 1986 RECOMMENDED VALUES OF THE
FUNDAMENTAL PHYSICAL CONSTANTS (continued)

Quantity	Symbol	Value	Units	Relative Uncertainty (ppm)
muon magnetic moment anomaly, $(\mu_\mu/(eh/2m_\mu)) - 1$	a_μ	1.165 9230(84)	10^{-3}	7.2
muon g-factor, $2(1 + a_\mu)$	g_μ	2.002 331 846(17)		0.0084
muon-proton magnetic moment ratio	μ_μ/μ_p	3.183 345 47(47)		0.15
Proton				
proton mass	m_p	1.672 6231(10)	10^{-27} kg	0.59
		1.007 276 470(12)	u	0.012
in electron volts, $m_p c^2/(e)$		938.272 31(23)	MeV	0.30
proton-electron mass ratio	m_p/m_e	1836.152 701(37)		0.020
proton-muon mass ratio	m_p/m_μ	8.830 2444(13)		0.15
proton specific charge	e/m_p	9.579 8309(29)	10^7 C kg $^{-1}$	0.30
proton molar mass	$M(p), M_p$	1.007 276 470(12)	10^{-3} kg/mol	0.012
proton Compton wavelength, $h/m_p c$	$\lambda_{C,p}$	1.321 410 02(12)	10^{-15} m	0.089
$\lambda_{C,p}/2\pi$	$\lambda_{C,p}$	2.103 089 37(19)	10^{-16} m	0.089
proton magnetic moment	μ_p	1.410 607 61(47)	10^{-26} J T $^{-1}$	0.34
in Bohr magnetons	μ_p/μ_B	1.521 032 202(15)	10^{-3}	0.010
in nuclear magnetons	μ_p/μ_N	2.792 847 386(63)		0.023
diamagnetic shielding correction for protons in pure water, spherical sample, 25 °C, $1 - \mu_p'/\mu_p$	σ_{H_2O}	25.689(15)	10^{-6}	—
shielded proton moment (H ₂ O, sph., 25 °C)	μ_p'	1.410 571 36(47)	10^{-26} J T $^{-1}$	0.34
in Bohr magnetons	μ_p'/μ_B	1.520 993 129(17)	10^{-3}	0.011
in nuclear magnetons	μ_p'/μ_N	2.792 775 642(64)		0.023
proton gyromagnetic ratio	γ_p	26 752.2125(81)	10^4 s $^{-1}$ T $^{-1}$	0.30
	$\gamma_p/2\pi$	42.577 469(13)	MHz T $^{-1}$	0.30
uncorrected (H ₂ O, sph., 25 °C)	γ_p'	26 751.5255(81)	10^4 s $^{-1}$ T $^{-1}$	0.30
	$\gamma_p'/2\pi$	42.576 375(13)	MHz T $^{-1}$	0.30
Neutron				
neutron mass	m_n	1.674 9286(10)	10^{-27} kg	0.59
		1.008 664 904(14)	u	0.014
in electron volts, $m_n c^2/(e)$		939.565 63(26)	MeV	0.30
neutron-electron mass ratio	m_n/m_e	1838.683 662(40)		0.022
neutron-proton mass ratio	m_n/m_p	1.001 378 404(9)		0.009
neutron molar mass	$M(n), M_n$	1.008 664 904(14)	10^{-3} kg/mol	0.014
neutron Compton wavelength, $h/m_n c$	$\lambda_{C,n}$	1.319 591 10(12)	10^{-15} m	0.039
$\lambda_{C,n}/2\pi$	$\lambda_{C,n}$	2.100 194 45(19)	10^{-16} m	0.089
neutron magnetic moment *	μ_n	0.986 237 07(40)	10^{-26} J T $^{-1}$	0.41
in Bohr magnetons	μ_n/μ_B	1.041 875 63(25)	10^{-3}	0.24
in nuclear magnetons	μ_n/μ_N	1.913 042 75(45)		0.24
neutron-electron magnetic moment ratio	μ_n/μ_e	1.040 668 82(25)	10^{-3}	0.24
neutron-proton magnetic moment ratio	μ_n/μ_p	0.684 979 34(16)		0.24
Deuteron				
deuteron mass	m_d	3.343 5860(20)	10^{-27} kg	0.59
		2.013 553 214(24)	u	0.012
in electron volts, $m_d c^2/(e)$		1875.613 39(57)	MeV	0.30
deuteron-electron mass ratio	m_d/m_e	3670.483 014(75)		0.020
deuteron-proton mass ratio	m_d/m_p	1.999 007 496(6)		0.003
deuteron molar mass	$M(d), M_d$	2.013 553 214(24)	10^{-3} kg/mol	0.012
deuteron magnetic moment *	μ_d	0.433 073 75(15)	10^{-26} J T $^{-1}$	0.34
in Bohr magnetons,	μ_d/μ_B	0.466 975 4479(91)	10^{-3}	0.019
in nuclear magnetons,	μ_d/μ_N	0.857 438 230(24)		0.028
deuteron-electron magnetic moment ratio	μ_d/μ_e	0.466 434 5460(91)	10^{-3}	0.019
deuteron-proton magnetic moment ratio	μ_d/μ_p	0.307 012 2035(51)		0.017
PHYSICO-CHEMICAL CONSTANTS				
Avogadro constant	N_A, L	6.022 1367(36)	10^{23} mol $^{-1}$	0.59
atomic mass constant, $\frac{1}{12}m(^{12}\text{C})$	m_a	1.660 5402(10)	10^{-27} kg	0.59
in electron volts, $m_a c^2/(e)$		931.494 32(28)	MeV	0.30
Faraday constant	F	96 485.309(29)	C mol $^{-1}$	0.30
molar Planck constant	$N_A h$	3.990 313 23(36)	10^{-10} J s mol $^{-1}$	0.089
	$N_A h c$	0.119 626 58(11)	J m mol $^{-1}$	0.089
molar gas constant	R	8.314 510(70)	J mol $^{-1}$ K $^{-1}$	8.4

Table 2
THE 1986 RECOMMENDED VALUES OF THE
FUNDAMENTAL PHYSICAL CONSTANTS (continued)

Quantity	Symbol	Value	Units	Relative Uncertainty (ppm)
Boltzmann constant, R/N_A	k	1.380658(12)	$10^{-23} \text{ J K}^{-1}$	8.5
in electron volts, $k/\{e\}$		8.617385(73)	$10^{-5} \text{ eV K}^{-1}$	8.4
in hertz, k/h		2.083674(13)	$10^{10} \text{ Hz K}^{-1}$	8.4
in wavenumbers, k/hc		69.50387(59)	$\text{m}^{-1} \text{ K}^{-1}$	8.4
molar volume (ideal gas), RT/p $T = 273.15 \text{ K}$, $p = 101325 \text{ Pa}$	V_m	22.41410(19)	L/mol	8.4
Loschmidt constant, N_A/V_m	n_0	2.686763(23)	10^{25} m^{-3}	8.5
$T = 273.15 \text{ K}$, $p = 100 \text{ kPa}$	V_m	22.71108(19)	L/mol	8.4
Sackur-Tetrode constant (absolute entropy constant), ** $\frac{5}{2} + \ln\{(2\pi m_u k T_1/h^2)^{3/2} k T_1/p_0\}$ $T_1 = 1 \text{ K}$, $p_0 = 100 \text{ kPa}$ $p_0 = 101325 \text{ Pa}$	S_0/R	-1.151693(21) -1.164856(21)		18 18
Stefan-Boltzmann constant, $(\pi^2/60)k^4/h^3c^2$	σ	5.67051(19)	$10^{-8} \text{ W m}^{-2} \text{ K}^{-4}$	34
first radiation constant, $2\pi hc^2$	c_1	3.7417749(22)	10^{-16} W m^2	0.60
second radiation constant, hc/k	c_2	0.01438769(12)	m K	8.4
Wien displacement law constant, $b = \lambda_{\text{max}} T = c_2/4.96511423\dots$	b	2.897756(24)	10^{-3} m K	8.4

NOTE: This list of the fundamental constants of physics and chemistry is based on a least-squares adjustment with 17 degrees of freedom. The digits in parentheses are the one-standard-deviation uncertainty in the last digits of the given value. Since the uncertainties of many of these entries are correlated, the full covariance matrix must be used in evaluating the uncertainties of quantities computed from them.

* The scalar magnitude of the neutron moment is listed here. The neutron magnetic dipole is directed oppositely to that of the proton, and corresponds to the dipole associated with a spinning negative charge distribution. The vector sum, $\mu_d = \mu_p + \mu_n$, is approximately satisfied.

** The entropy of an ideal monatomic gas of relative atomic weight A_r is given by $S = S_0 + \frac{1}{2}R \ln A_r - R \ln(p/p_0) + \frac{5}{2}R \ln(T/K)$.

Table 3
MAINTAINED UNITS AND STANDARD VALUES

Quantity	Symbol	Value	Units	Relative Uncertainty (ppm)
electron volt, $(e/C) \text{ J} = \{e\} \text{ J}$	eV	1.60217733(49)	10^{-19} J	0.30
(unified) atomic mass unit, $1 \text{ u} = m_u = \frac{1}{12} m(^{12}\text{C})$	u	1.6605402(10)	10^{-27} kg	0.59
standard atmosphere	atm	101325	Pa	(exact)
standard acceleration of gravity	g_n	9.80665	m s^{-2}	(exact)
As-Maintained Electrical Units				
BIPM maintained ohm, Ω_{69-B1} $\Omega_{\text{B185}} \equiv \Omega_{69-B1} (1 \text{ Jan } 1985)$	Ω_{B185}	$1 - 1.563(50) \times 10^{-6}$ $= 0.999998437(50)$	Ω	0.050
Drift rate of Ω_{69-B1}	$\frac{d\Omega_{69-B1}}{dt}$	-0.0566(15)	$\mu\Omega/\text{a}$	—
BIPM maintained volt, $V_{76-B1} \equiv 483594 \text{ GHz}(h/2e)$	V_{76-B1}	$1 - 7.59(30) \times 10^{-8}$ $= 0.99999241(30)$	V	0.30
BIPM maintained ampere, $A_{\text{BIPM}} = V_{76-B1}/\Omega_{69-B1}$	A_{B185}	$1 - 6.03(30) \times 10^{-6}$ $= 0.99999397(30)$	A	0.30
X-Ray Standards				
Cu x-unit: $\lambda(\text{CuK}\alpha_1) \equiv 1537.400 \text{ xu}$	xu(CuK α_1)	1.00207789(70)	10^{-13} m	0.70
Mo x-unit: $\lambda(\text{MoK}\alpha_1) \equiv 707.831 \text{ xu}$	xu(MoK α_1)	1.00209938(45)	10^{-13} m	0.45
\AA : $\lambda(\text{WK}\alpha_1) \equiv 0.209100 \text{ \AA}$	\AA	1.00001481(92)	10^{-10} m	0.92

Table 3
MAINTAINED UNITS AND STANDARD VALUES
(continued)

Quantity	Symbol	Value	Units	Relative Uncertainty (ppm)
lattice spacing of Si (in vacuum, 22.5 °C), ⁺	<i>a</i>	0.543 101 96(11)	nm	0.21
$d_{220} = a/\sqrt{8}$	d_{220}	0.192 015 540(40)	nm	0.21
molar volume of Si, $M(\text{Si})/\rho(\text{Si}) = N_A a^3/3$	$V_m(\text{Si})$	12.058 8179(89)	cm ³ /mol	0.74

NOTE: A summary of "maintained" units and "standard" values and their relationship to SI units, based on a least-squares adjustment with 17 degrees of freedom. The digits in parentheses are the one-standard-deviation uncertainty in the last digits of the given value. Since the uncertainties of many of these entries are correlated, the full covariance matrix must be used in evaluating the uncertainties of quantities computed from them.

+ The lattice spacing of single-crystal Si can vary by parts in 10⁷ depending on the preparation process. Measurements at PTB indicate also the possibility of distortions from exact cubic symmetry of the order of 0.2 ppm.

Table 4
ENERGY CONVERSION FACTORS

J	kg	m ⁻¹	Hz
1 J = 1	1/{c ² } 1.112 650 065 × 10 ⁻¹⁷	1/{hc} 5.034 1125(30) × 10 ²⁴	1/{h} 1.509 183 97(90) × 10 ³³
1 kg = {c ² } 8.987 551 787 × 10 ¹⁶	1	{c/h} 4.524 4347(27) × 10 ⁴¹	{c ² /h} 1.356 391 40(81) × 10 ⁵⁰
1 m ⁻¹ = {hc} 1.986 4475(12) × 10 ⁻²⁵	{h/c} 2.210 2209(13) × 10 ⁻⁴²	1	{c} 299 792 458
1 Hz = {h} 6.626 0755(40) × 10 ⁻³⁴	{h/c ² } 7.372 5032(44) × 10 ⁻³¹	1/{c} 3.335 640 952 × 10 ⁻⁹	1
1 K = {k} 1.380 658(12) × 10 ⁻²³	{k/c ² } 1.536 189(13) × 10 ⁻⁴⁰	{k/hc} 69.503 87(59)	{k/h} 2.083 674(18) × 10 ¹⁰
1 eV = {e} 1.602 177 33(49) × 10 ⁻¹⁹	{e/c ² } 1.782 662 70(54) × 10 ⁻³⁶	{e/hc} 806 554.10(24)	{e/h} 2.417 983 36(72) × 10 ¹⁴
1 u = {m _u c ² } 1.492 419 09(88) × 10 ⁻¹⁰	{m _u } 1.660 5402(10) × 10 ⁻²⁷	{m _u c/h} 7.513 095 63(67) × 10 ¹⁴	{m _u c ² /h} 2.252 342 42(20) × 10 ²³
1 hartree = {2R _∞ hc} 4.359 7462(26) × 10 ⁻¹⁸	{2R _∞ h/c} 4.850 3741(29) × 10 ⁻³⁵	{2R _∞ } 21 947 463.067(26)	{2R _∞ c} 6.579 663 8999(78) × 10 ¹⁵
K	eV	u	hartree
1 J = 1/{k} 7.242 924(61) × 10 ²²	1/{e} 6.241 5064(19) × 10 ¹⁸	1/{m _u c ² } 6.700 5308(40) × 10 ⁹	1/{2R _∞ hc} 2.293 7104(14) × 10 ¹⁷
1 kg = {c ² /k} 6.509 616(55) × 10 ³⁹	{c ² /e} 5.609 5862(17) × 10 ³⁵	1/{m _u } 6.022 1357(36) × 10 ²⁶	{c/2R _∞ h} 2.061 484(12) × 10 ²⁴
1 m ⁻¹ = {hc/k} 0.014 387 69(12)	{hc/e} 1.239 842 44(37) × 10 ⁻⁶	{h/m _u c} 1.331 025 22(12) × 10 ⁻¹⁵	1/{2R _∞ } 4.556 335 2672(54) × 10 ⁻⁸
1 Hz = {h/k} 4.799 218(41) × 10 ⁻¹¹	{h/e} 4.135 6692(12) × 10 ⁻¹⁵	{h/m _u c ² } 4.439 822 24(40) × 10 ⁻²⁴	1/{2R _∞ c} 1.519 829 8508(18) × 10 ⁻¹⁶
1 K = 1	{k/e} 8.617 385(73) × 10 ⁻⁵	{k/m _u c ² } 9.251 140(76) × 10 ⁻¹⁴	{k/2R _∞ hc} 3.166 829(27) × 10 ⁻⁶
1 eV = {e/k} 11 604.45(10)	1	{e/m _u c ² } 1.073 543 85(33) × 10 ⁻⁹	{e/2R _∞ hc} 0.038 749 309(11)
1 u = {m _u c ² /k} 1.080 9478(91) × 10 ¹³	{m _u c ² /e} 931.494 32(28) × 10 ⁶	1	{m _u c/2R _∞ h} 3.423 177 25(31) × 10 ⁷
1 hartree = {2R _∞ hc/k} 3.157 733(27) × 10 ⁸	{2R _∞ hc/e} 27.211 3961(81)	{2R _∞ h/m _u c} 2.921 262 69(26) × 10 ⁻⁴	1

NOTE: To use this table note that all entries on the same line are equal; the unit at the top of a column applies to all of the values beneath it. Example: 1 eV = 806544.10 m⁻¹.

Table 5
EXPANDED COVARIANCE AND CORRELATION
COEFFICIENT MATRIX FOR THE 1986
RECOMMENDED SET OF FUNDAMENTAL PHYSICAL
CONSTANTS

	α^{-1}	K_V	K_0	μ_p/μ_e	ϵ	h	m_e	N_A	F
α^{-1}	1997	-1062	925	3267	-3059	-4121	-127	127	-2932
K_V	-0.080	87988	90	-1737	89050	177038	174914	-174914	-85864
K_0	0.416	0.006	2477	1513	-835	-744	1105	-1105	-1939
μ_p/μ_e	0.498	-0.040	0.207	21523	-5094	-6742	-208	208	-4796
ϵ	-0.226	0.989	-0.055	-0.112	92109	181159	175042	-175042	-82933
h	-0.154	0.997	-0.025	-0.077	0.997	358197	349956	-349956	-168797
m_e	-0.005	0.997	0.038	-0.002	0.975	0.939	349702	-349702	-174660
N_A	0.005	-0.997	-0.033	0.002	-0.975	-0.989	-1.000	349702	174660
F	-0.217	-0.956	-0.129	-0.108	-0.902	-0.991	-0.975	0.975	91727

The elements of the covariance matrix appear on and above the major diagonal in (parts in 10^9)²; correlation coefficients appear in *italics* below the diagonal. The values are given to as many as six digits only as a matter of consistency. The correlation coefficient between m_e and N_A appears as -1.000 in this table because the auxiliary constants were considered to be exact in carrying out the least-squares adjustment. When the uncertainties of m_p/m_e and M_p are properly taken into account, the correlation coefficient is -0.999 and the variances of m_e and N_A are slightly increased.

STANDARD ATOMIC WEIGHTS (1989) (Scaled to $A_r(^{12}\text{C}) = 12$)

The atomic weights of many elements are not invariant but depend on the origin and treatment of the material. The footnotes to this table elaborate the types of variation to be expected for individual elements. The values of $A_r(E)$ and uncertainty $U_r(E)$ given here apply to elements as they exist naturally on earth. New values recommended by IUPAC in 1989 are included.

Name	Symbol	Atomic no.	Atomic weight	Footnotes		
Actinium*	Ac	89				A
Aluminium	Al	13	26.981539(5)			
Americium*	Am	95				A
Antimony	Sb	51	121.757(3)			
Argon	Ar	18	39.948(1)	g	r	
Arsenic	As	33	74.92159(2)			
Astatine*	At	85				A
Barium	Ba	56	137.327(7)			
Berkelium*	Bk	97				A
Beryllium	Be	4	9.012182(3)			
Bismuth	Bi	83	208.98037(3)			
Boron	B	5	10.811(5)	g	m	r
Bromine	Br	35	79.904(1)			
Cadmium	Cd	48	112.411(8)	g		
Caesium	Cs	55	132.90543(5)			
Calcium	Ca	20	40.078(4)	g		
Californium*	Cf	98				A
Carbon	C	6	12.011(1)		r	
Cerium	Ce	58	140.115(4)	g		
Chlorine	Cl	17	35.4527(9)			
Chromium	Cr	24	51.9961(6)			
Cobalt	Co	27	58.93320(1)			
Copper	Cu	29	63.546(3)		r	
Curium*	Cm	96				A
Dysprosium	Dy	66	162.50(3)	g		
Einsteinium*	Es	99				A
Erbium	Er	68	167.26(3)	g		
Europium	Eu	63	151.965(9)	g		
Fermium*	Fm	100				A
Fluorine	F	9	18.9984032(9)			A
Francium*	Fr	87				A
Gadolinium	Gd	64	157.25(3)	g		
Gallium	Ga	31	69.723(1)			
Germanium	Ge	32	72.61(2)			
Gold	Au	79	196.96654(3)			
Hafnium	Hf	72	178.49(2)			
Helium	He	2	4.002602(2)	g		r
Holmium	Ho	67	164.93032(3)			
Hydrogen	H	1	1.00794(7)	g	m	r
Indium	In	49	114.82(1)			
Iodine	I	53	126.90447(3)			
Iridium	Ir	77	192.22(3)			
Iron	Fe	26	55.847(3)			
Krypton	Kr	36	83.80(1)	g	m	
Lanthanum	La	57	138.9055(2)	g		
Lawrencium*	Lr	103				A
Lead	Pb	82	207.2(1)	g		r
Lithium	Li	3	6.941(2)	g	m	r
Lutetium	Lu	71	174.967(1)	g		
Magnesium	Mg	12	24.3050(6)			
Manganese	Mn	25	54.93805(1)			
Mendelevium*	Md	101				A
Mercury	Hg	80	200.59(2)			
Molybdenum	Mo	42	95.94(1)			
Neodymium	Nd	60	144.24(3)	g		
Neon	Ne	10	20.1797(6)	g	m	
Neptunium*	Np	93				A
Nickel	Ni	28	58.6934(2)			
Niobium	Nb	41	92.90638(2)			
Nitrogen	N	7	14.0064(7)	g		r
Nobelium*	No	102				A
Osmium	Os	76	190.2(1)	g		
Oxygen	O	8	15.9994(3)	g		r
Palladium	Pd	46	106.42(1)	g		

STANDARD ATOMIC WEIGHTS (1989)
(Scaled to $A_r(^{12}\text{C}) = 12$) (continued)

Name	Symbol	Atomic no.	Atomic weight	Footnotes	
Phosphorus	P	15	30.973762(4)		
Platinum	Pt	78	195.08(3)		
Plutonium*	Pu	94			A
Polonium*	Po	84			A
Potassium	K	19	39.0983(1)		
Praseodymium	Pr	59	140.90765(3)		
Promethium*	Pm	61			A
Protactinium*	Pa	91	231.03588(2)		Z
Radium*	Ra	88			A
Radon*	Rn	86			A
Rhenium	Re	75	186.207(1)		
Rhodium	Rh	45	102.90550(3)		
Rubidium	Rb	37	85.4678(3)	g	
Ruthenium	Ru	44	101.07(2)	g	
Samarium	Sm	62	150.36(3)	g	
Scandium	Sc	21	44.955910(9)		
Selenium	Se	34	78.96(3)		
Silicon	Si	14	28.0855(3)		r
Silver	Ag	47	107.8682(2)	g	
Sodium	Na	11	22.989768(6)		
Strontium	Sr	38	87.62(1)	g	r
Sulfur	S	16	32.066(6)		r
Tantalum	Ta	73	180.9479(1)		
Technetium*	Tc	43			A
Tellurium	Te	52	127.60(3)	g	
Terbium	Tb	65	158.92534(3)		
Thallium	Tl	81	204.3833(2)		
Thorium*	Th	90	232.0381(1)	g	Z
Thulium	Tm	69	168.93421(3)		
Tin	Sn	50	118.710(7)	g	
Titanium	Ti	22	47.88(3)		
Tungsten	W	74	183.85(3)		
Unnilquadium	Unq	104			A
Unnilpentium	Unp	105			A
Unnihexium	Unh	106			A
Unnilseptium	Uns	107			A
Uranium*	U	92	238.0289(1)	g	m
Vanadium	V	23	50.9415(1)		
Xenon	Xe	54	131.29(2)	g	m
Ytterbium	Yb	70	173.04(3)	g	
Yttrium	Y	39	88.90585(2)		
Zinc	Zn	30	65.39(2)		
Zirconium	Zr	40	91.224(2)	g	

- g geological specimens are known in which the element has an isotopic composition outside the limits for normal material. The difference between the atomic weight of the element in such specimens and that given in the table may exceed the implied uncertainty.
- m modified isotopic compositions may be found in commercially available material because it has been subjected to an undisclosed or inadvertent isotopic separation. Substantial deviations in atomic weight of the element from that given in the table can occur.
- r range in isotopic composition of normal terrestrial material prevents a more precise $A_r(E)$ being given; the tabulated $A_r(E)$ value should be applicable to any normal material.
- A Radioactive element that lacks a characteristic terrestrial isotopic composition.
- Z An element, without stable nuclide(s), exhibiting a range of characteristic terrestrial compositions of long-lived radionuclide(s) such that a meaningful atomic weight can be given.
- * Element has no stable nuclides.

ELECTRON CONFIGURATION OF NEUTRAL ATOMS IN THE GROUND STATE (continued)

Atomic no.	n = Element	K 1			L 2			M 3			N 4				O 5				P 6			Q 7
		s	s	p	s	p	d	s	p	d	f	s	p	d	f	s	p	d	s	p	d	
57	La	2	2	6	2	6	10	2	6	10		2	6	1		2			2			
58	Ce	2	2	6	2	6	10	2	6	10	1*	2	6	1		2			2			
59	Pr	2	2	6	2	6	10	2	6	10	3	2	6			2			2			
60	Nd	2	2	6	2	6	10	2	6	10	4	2	6			2			2			
61	Pm	2	2	6	2	6	10	2	6	10	5	2	6			2			2			
62	Sm	2	2	6	2	6	10	2	6	10	6	2	6			2			2			
63	Eu	2	2	6	2	6	10	2	6	10	7	2	6			2			2			
64	Gd	2	2	6	2	6	10	2	6	10	7	2	6	1		2			2			
65	Tb	2	2	6	2	6	10	2	6	10	9*	2	6			2			2			
66	Dy	2	2	6	2	6	10	2	6	10	10	2	6			2			2			
67	Ho	2	2	6	2	6	10	2	6	10	11	2	6			2			2			
68	Er	2	2	6	2	6	10	2	6	10	12	2	6			2			2			
69	Tm	2	2	6	2	6	10	2	6	10	13	2	6			2			2			
70	Yb	2	2	6	2	6	10	2	6	10	14	2	6			2			2			
71	Lu	2	2	6	2	6	10	2	6	10	14	2	6	1		2			2			
72	Hf	2	2	6	2	6	10	2	6	10	14	2	6	2		2			2			
73	Ta	2	2	6	2	6	10	2	6	10	14	2	6	3		2			2			
74	W	2	2	6	2	6	10	2	6	10	14	2	6	4		2			2			
75	Re	2	2	6	2	6	10	2	6	10	14	2	6	5		2			2			
76	Os	2	2	6	2	6	10	2	6	10	14	2	6	6		2			2			
77	Ir	2	2	6	2	6	10	2	6	10	14	2	6	7		2			2			
78	Pt	2	2	6	2	6	10	2	6	10	14	2	6	9		1			2			
79	Au	2	2	6	2	6	10	2	6	10	14	2	6	10		1			2			
80	Hg	2	2	6	2	6	10	2	6	10	14	2	6	10		2			2			
81	Tl	2	2	6	2	6	10	2	6	10	14	2	6	10		2	1		2			
82	Pb	2	2	6	2	6	10	2	6	10	14	2	6	10		2	2		2			
83	Bi	2	2	6	2	6	10	2	6	10	14	2	6	10		2	3		2			
84	Po	2	2	6	2	6	10	2	6	10	14	2	6	10		2	4		2			
85	At	2	2	6	2	6	10	2	6	10	14	2	6	10		2	5		2			
86	Rn	2	2	6	2	6	10	2	6	10	14	2	6	10		2	6		2			
87	Fr	2	2	6	2	6	10	2	6	10	14	2	6	10		2	6		2			1
88	Ra	2	2	6	2	6	10	2	6	10	14	2	6	10		2	6		2			2
89	Ac	2	2	6	2	6	10	2	6	10	14	2	6	10		2	6	1	2			2
90	Th	2	2	6	2	6	10	2	6	10	14	2	6	10		2	6	2	2			2
91	Pa	2	2	6	2	6	10	2	6	10	14	2	6	10	2*	2	6	1	2			2
92	U	2	2	6	2	6	10	2	6	10	14	2	6	10	3	2	6	1	2			2
93	Np	2	2	6	2	6	10	2	6	10	14	2	6	10	4	2	6	1	2			2
94	Pu	2	2	6	2	6	10	2	6	10	14	2	6	10	6*	2	6		2			2
95	Am	2	2	6	2	6	10	2	6	10	14	2	6	10	7	2	6		2			2
96	Cm	2	2	6	2	6	10	2	6	10	14	2	6	10	7*	2	6	1	2			2
97	Bk	2	2	6	2	6	10	2	6	10	14	2	6	10	9	2	6		2			2
98	Cf	2	2	6	2	6	10	2	6	10	14	2	6	10	10	2	6		2			2
99	Es	2	2	6	2	6	10	2	6	10	14	2	6	10	11	2	6		2			2
100	Fm	2	2	6	2	6	10	2	6	10	14	2	6	10	12	2	6		2			2
101	Md	2	2	6	2	6	10	2	6	10	14	2	6	10	13	2	6		2			2
102	No	2	2	6	2	6	10	2	6	10	14	2	6	10	14	2	6		2			2
103	Lr	2	2	6	2	6	10	2	6	10	14	2	6	10	14	2	6	1	2			2
104	Rf	2	2	6	2	6	10	2	6	10	14	2	6	10	14	2	6	2	2			2

* Note irregularity.

REFERENCE

W. L. Wiese and G. A. Martin, in *A Physicist's Desk Reference*, American Institute of Physics, New York, 1989, 94.

BEST AVAILABLE COPY

ELECTRON CONFIGURATION OF NEUTRAL ATOMS IN THE GROUND STATE

Atomic no.	n = Element	K 1	L 2		M 3			N 4				O 5				P 6			Q 7
		s	s	p	s	p	d	s	p	d	f	s	p	d	f	s	p	d	s
1	H	1																	
2	He	2																	
3	Li	2	1																
4	Be	2	2																
5	B	2	2	1															
6	C	2	2	2															
7	N	2	2	3															
8	O	2	2	4															
9	F	2	2	5															
10	Ne	2	2	6															
11	Na	2	2	6	1														
12	Mg	2	2	6	2														
13	Al	2	2	6	2	1													
14	Si	2	2	6	2	2													
15	P	2	2	6	2	3													
16	S	2	2	6	2	4													
17	Cl	2	2	6	2	5													
18	Ar	2	2	6	2	6													
19	K	2	2	6	2	6		1											
20	Ca	2	2	6	2	6		2											
21	Sc	2	2	6	2	6	1	2											
22	Ti	2	2	6	2	6	2	2											
23	V	2	2	6	2	6	3	2											
24	Cr	2	2	6	2	6	5*	1											
25	Mn	2	2	6	2	6	5	2											
26	Fe	2	2	6	2	6	6	2											
27	Co	2	2	6	2	6	7	2											
28	Ni	2	2	6	2	6	8	2											
29	Cu	2	2	6	2	6	10*	1											
30	Zn	2	2	6	2	6	10	2											
31	Ga	2	2	6	2	6	10	2	1										
32	Ge	2	2	6	2	6	10	2	2										
33	As	2	2	6	2	6	10	2	3										
34	Se	2	2	6	2	6	10	2	4										
35	Br	2	2	6	2	6	10	2	5										
36	Kr	2	2	6	2	6	10	2	6										
37	Rb	2	2	6	2	6	10	2	6			1							
38	Sr	2	2	6	2	6	10	2	6			2							
39	Y	2	2	6	2	6	10	2	6	1		2							
40	Zr	2	2	6	2	6	10	2	6	2		2							
41	Nb	2	2	6	2	6	10	2	6	4*		1							
42	Mo	2	2	6	2	6	10	2	6	5		1							
43	Tc	2	2	6	2	6	10	2	6	5		2							
44	Ru	2	2	6	2	6	10	2	6	7		1							
45	Rh	2	2	6	2	6	10	2	6	8		1							
46	Pd	2	2	6	2	6	10	2	6	10*									
47	Ag	2	2	6	2	6	10	2	6	10		1							
48	Cd	2	2	6	2	6	10	2	6	10		2							
49	In	2	2	6	2	6	10	2	6	10		2	1						
50	Sn	2	2	6	2	6	10	2	6	10		2	2						
51	Sb	2	2	6	2	6	10	2	6	10		2	3						
52	Te	2	2	6	2	6	10	2	6	10		2	4						
53	I	2	2	6	2	6	10	2	6	10		2	5						
54	Xe	2	2	6	2	6	10	2	6	10		2	6						
55	Cs	2	2	6	2	6	10	2	6	10		2	6			1			
56	Ba	2	2	6	2	6	10	2	6	10		2	6			2			

PERIODIC TABLE OF THE ELEMENTS

Group		New notation		Previous IUPAC form		CAS version	
I IA		2 IIA		3 IIIA		4 IIIB	
1 H 1.00794	+1	2 He 4.002602	0	3 Li 6.941	+1	4 Be 9.012182	+2
5 B 10.811	+3	6 C 12.011	+4	7 N 14.00642	+5	8 O 15.9994	+2
9 F 18.9984032	-1	10 Ne 20.1797	0	11 Na 22.989768	+1	12 Mg 24.3050	+2
13 Al 26.981539	+3	14 Si 28.0855	+4	15 P 30.973762	+5	16 S 32.066	+6
17 Cl 35.4527	+7	18 Ar 39.948	0	19 K 39.0983	+1	20 Ca 40.078	+2
21 Sc 44.955910	+3	22 Ti 47.88	+4	23 V 50.9415	+5	24 Cr 51.9961	+6
25 Mn 54.938045	+7	26 Fe 55.847	+8	27 Co 58.93320	+9	28 Ni 58.6934	+10
29 Cu 63.546	+1	30 Zn 65.39	+2	31 Ga 69.723	+3	32 Ge 72.61	+4
33 As 74.92159	+3	34 Se 78.96	+4	35 Br 79.904	+5	36 Kr 83.80	0
37 Rb 85.4678	+1	38 Sr 87.62	+2	39 Y 88.90585	+3	40 Zr 91.224	+4
41 Nb 92.90638	+5	42 Mo 95.94	+6	43 Tc (98)	+7	44 Ru 101.07	+8
45 Rh 102.90550	+9	46 Pd 106.42	+10	47 Ag 107.8682	+11	48 Cd 112.411	+12
49 In 114.82	+3	50 Sn 118.710	+4	51 Sb 121.757	+5	52 Te 127.60	+6
53 I 126.90447	+7	54 Xe 131.29	0	55 Cs 132.90543	+1	56 Ba 137.327	+2
57 La 138.9055	+3	58 Ce 140.115	+4	59 Pr 140.90765	+5	60 Nd 144.24	+6
61 Pm (145)	+5	62 Sm 150.36	+6	63 Eu 151.965	+7	64 Gd 157.25	+8
65 Tb 158.92534	+9	66 Dy 162.50	+10	67 Ho 164.93032	+11	68 Er 167.26	+12
69 Tm 168.93421	+13	70 Yb 173.04	+14	71 Lu 174.967	+15	72 Hf 178.49	+16
73 Ta 180.9479	+5	74 W 183.85	+6	75 Re 186.207	+7	76 Os 190.2	+8
77 Ir 192.22	+9	78 Pt 195.08	+10	79 Au 196.96654	+11	80 Hg 200.59	+12
81 Tl 204.3833	+3	82 Pb 207.2	+4	83 Bi 208.98037	+5	84 Po (209)	+6
85 At (210)	+7	86 Rn (222)	0	87 Fr (223)	+1	88 Ra (226)	+2
89** Ac	+3	90 Th	+4	91 Pa	+5	92 U	+6
93** Np	+5	94 Pu	+6	95 Am	+7	96 Cm	+8
97** Bk	+9	98 Cf	+10	99 Es	+11	100 Fm	+12
101** Md	+13	102 No	+14	103 Lr	+15	104 Unq	+16
105 Unp	+17	106 Unh	+18	107 Uns	+19	108 Uub	+20
109 Uut	+21	110 Uuq	+22	111 Uub	+23	112 Uut	+24
113 Uuh	+25	114 Uuq	+26	115 Uub	+27	116 Uut	+28
117 Uuh	+29	118 Uuq	+30	119 Uub	+31	120 Uut	+32
121 Uuh	+33	122 Uuq	+34	123 Uub	+35	124 Uut	+36
125 Uuh	+37	126 Uuq	+38	127 Uub	+39	128 Uut	+40
129 Uuh	+41	130 Uuq	+42	131 Uub	+43	132 Uut	+44
133 Uuh	+45	134 Uuq	+46	135 Uub	+47	136 Uut	+48
137 Uuh	+49	138 Uuq	+50	139 Uub	+51	140 Uut	+52
141 Uuh	+53	142 Uuq	+54	143 Uub	+55	144 Uut	+56
145 Uuh	+57	146 Uuq	+58	147 Uub	+59	148 Uut	+60
149 Uuh	+61	150 Uuq	+62	151 Uub	+63	152 Uut	+64
153 Uuh	+65	154 Uuq	+66	155 Uub	+67	156 Uut	+68
157 Uuh	+69	158 Uuq	+70	159 Uub	+71	160 Uut	+72
161 Uuh	+73	162 Uuq	+74	163 Uub	+75	164 Uut	+76
165 Uuh	+77	166 Uuq	+78	167 Uub	+79	168 Uut	+80
169 Uuh	+81	170 Uuq	+82	171 Uub	+83	172 Uut	+84
173 Uuh	+85	174 Uuq	+86	175 Uub	+87	176 Uut	+88
177 Uuh	+89	178 Uuq	+90	179 Uub	+91	180 Uut	+92
181 Uuh	+93	182 Uuq	+94	183 Uub	+95	184 Uut	+96
185 Uuh	+97	186 Uuq	+98	187 Uub	+99	188 Uut	+100
189 Uuh	+101	190 Uuq	+102	191 Uub	+103	192 Uut	+104
193 Uuh	+105	194 Uuq	+106	195 Uub	+107	196 Uut	+108
197 Uuh	+109	198 Uuq	+110	199 Uub	+111	200 Uut	+112
201 Uuh	+113	202 Uuq	+114	203 Uub	+115	204 Uut	+116
205 Uuh	+117	206 Uuq	+118	207 Uub	+119	208 Uut	+120
209 Uuh	+121	210 Uuq	+122	211 Uub	+123	212 Uut	+124
213 Uuh	+125	214 Uuq	+126	215 Uub	+127	216 Uut	+128
217 Uuh	+129	218 Uuq	+130	219 Uub	+131	220 Uut	+132
221 Uuh	+133	222 Uuq	+134	223 Uub	+135	224 Uut	+136
225 Uuh	+137	226 Uuq	+138	227 Uub	+139	228 Uut	+140
229 Uuh	+141	230 Uuq	+142	231 Uub	+143	232 Uut	+144
233 Uuh	+145	234 Uuq	+146	235 Uub	+147	236 Uut	+148
237 Uuh	+149	238 Uuq	+150	239 Uub	+151	240 Uut	+152
241 Uuh	+153	242 Uuq	+154	243 Uub	+155	244 Uut	+156
245 Uuh	+157	246 Uuq	+158	247 Uub	+159	248 Uut	+160
249 Uuh	+161	250 Uuq	+162	251 Uub	+163	252 Uut	+164
253 Uuh	+165	254 Uuq	+166	255 Uub	+167	256 Uut	+168
257 Uuh	+169	258 Uuq	+170	259 Uub	+171	260 Uut	+172
261 Uuh	+173	262 Uuq	+174	263 Uub	+175	264 Uut	+176
265 Uuh	+177	266 Uuq	+178	267 Uub	+179	268 Uut	+180
269 Uuh	+181	270 Uuq	+182	271 Uub	+183	272 Uut	+184
273 Uuh	+185	274 Uuq	+186	275 Uub	+187	276 Uut	+188
277 Uuh	+189	278 Uuq	+190	279 Uub	+191	280 Uut	+192
281 Uuh	+193	282 Uuq	+194	283 Uub	+195	284 Uut	+196
285 Uuh	+197	286 Uuq	+198	287 Uub	+199	288 Uut	+200
289 Uuh	+201	290 Uuq	+202	291 Uub	+203	292 Uut	+204
293 Uuh	+205	294 Uuq	+206	295 Uub	+207	296 Uut	+208
297 Uuh	+209	298 Uuq	+210	299 Uub	+211	300 Uut	+212
301 Uuh	+213	302 Uuq	+214	303 Uub	+215	304 Uut	+216
305 Uuh	+217	306 Uuq	+218	307 Uub	+219	308 Uut	+220
309 Uuh	+221	310 Uuq	+222	311 Uub	+223	312 Uut	+224
313 Uuh	+225	314 Uuq	+226	315 Uub	+227	316 Uut	+228
317 Uuh	+229	318 Uuq	+230	319 Uub	+231	320 Uut	+232
321 Uuh	+233	322 Uuq	+234	323 Uub	+235	324 Uut	+236
325 Uuh	+237	326 Uuq	+238	327 Uub	+239	328 Uut	+240
329 Uuh	+241	330 Uuq	+242	331 Uub	+243	332 Uut	+244
333 Uuh	+245	334 Uuq	+246	335 Uub	+247	336 Uut	+248
337 Uuh	+249	338 Uuq	+250	339 Uub	+251	340 Uut	+252
341 Uuh	+253	342 Uuq	+254	343 Uub	+255	344 Uut	+256
345 Uuh	+257	346 Uuq	+258	347 Uub	+259	348 Uut	+260
349 Uuh	+261	350 Uuq	+262	351 Uub	+263	352 Uut	+264
353 Uuh	+265	354 Uuq	+266	355 Uub	+267	356 Uut	+268
357 Uuh	+269	358 Uuq	+270	359 Uub	+271	360 Uut	+272
361 Uuh	+273	362 Uuq	+274	363 Uub	+275	364 Uut	+276
365 Uuh	+277	366 Uuq	+278	367 Uub	+279	368 Uut	+280
369 Uuh	+281	370 Uuq	+282	371 Uub	+283	372 Uut	+284
373 Uuh	+285	374 Uuq	+286	375 Uub	+287	376 Uut	+288
377 Uuh	+289	378 Uuq	+290	379 Uub	+291	380 Uut	+292
381 Uuh	+293	382 Uuq	+294	383 Uub	+295	384 Uut	+296
385 Uuh	+297	386 Uuq	+298	387 Uub	+299	388 Uut	+300
389 Uuh	+301	390 Uuq	+302	391 Uub	+303	392 Uut	+304
393 Uuh	+305	394 Uuq	+306	395 Uub	+307	396 Uut	+308
397 Uuh	+309	398 Uuq	+310	399 Uub	+311	400 Uut	+312
401 Uuh	+313	402 Uuq	+314	403 Uub	+315	404 Uut	+316
405 Uuh	+317	406 Uuq	+318	407 Uub	+319	408 Uut	+320
409 Uuh	+321	410 Uuq	+322	411 Uub	+323	412 Uut	+324
413 Uuh	+325	414 Uuq	+326	415 Uub	+327	416 Uut	+328
417 Uuh	+329	418 Uuq	+330	419 Uub	+331	420 Uut	+332
421 Uuh	+333	422 Uuq	+334	423 Uub	+335	424 Uut	+336
425 Uuh	+337	426 Uuq	+338	427 Uub	+339	428 Uut	+340
429 Uuh	+341	430 Uuq	+342	431 Uub	+343	432 Uut	+344
433 Uuh	+345	434 Uuq	+346	435 Uub	+347	436 Uut	+348
437 Uuh	+349	438 Uuq	+350	439 Uub	+351	440 Uut	+352
441 Uuh	+353	442 Uuq	+354	443 Uub	+355	444 Uut	+356
445 Uuh	+357	446 Uuq	+358	447 Uub	+359	448 Uut	+360
449 Uuh	+361	450 Uuq	+362	451 Uub	+363	452 Uut	+364
453 Uuh	+365	454 Uuq	+366	455 Uub	+367	456 Uut	+368
457 Uuh	+369	458 Uuq	+370	459 Uub	+371	460 Uut	+372
461 Uuh	+373	462 Uuq	+374	463 Uub	+375	464 Uut	+376
465 Uuh	+377	466 Uuq	+378	467 Uub	+379	468 Uut	+380
469 Uuh	+381	470 Uuq	+382	471 Uub	+383	472 Uut	+384
473 Uuh	+385	474 Uuq	+386	475 Uub	+387	476 Uut	+388
477 Uuh	+389	478 Uuq	+390	479 Uub	+391	480 Uut	+392
481 Uuh	+393	482 Uuq	+394	483 Uub	+395	484 Uut	+396
485 Uuh	+397	486 Uuq	+398	487 Uub	+399	488 Uut	+400
489 Uuh	+401	490 Uuq	+402	491 Uub	+403	492 Uut	+404
493 Uuh	+405	494 Uuq	+406	495 Uub	+407	496 Uut	+408
497 Uuh	+409	498 Uuq	+410	499 Uub	+411	500 Uut	+412
501 Uuh	+413	502 Uuq	+414	503 Uub	+415	504 Uut	+416
505 Uuh	+417	506 Uuq	+418	507 Uub	+419	508 Uut	+420
509 Uuh	+421	510 Uuq	+422	511 Uub	+423	512 Uut	+424
513 Uuh	+425	514 Uuq	+426	515 Uub	+427	516 Uut	+428
517 Uuh	+429	518 Uuq	+430	519 Uub	+431	520 Uut	+432
521 Uuh	+433	522 Uuq	+434	523 Uub	+435	524 Uut	+436
525 Uuh	+437	526 Uuq	+438	527 Uub	+439	528 Uut	+440
529 Uuh	+441	530 Uuq	+442	531 Uub	+443	532 Uut	+444
533 Uuh	+445	534 Uuq	+446	535 Uub	+447	536 Uut	+448
537 Uuh	+449	538 Uuq	+450	539 Uub	+451	540 Uut	+452
541 Uuh	+453	542 Uuq	+454	54			

THIS PAGE BLANK (USPTO)